EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S106	37	S94 AND (overlooked overlook overlooking over $1looked over$1look over $1looking ignored ignore ignoring forgotten Missed Miss Missing unnoticed disregarded disregard disregarding)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 18:21
S105	28	S94 AND (irrelevant irrelevancy inconsequential bearing inapplicable)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 18:19
S104	19	S94 AND ((overlooked overlook overlooking over $1looked over$1look over $1looking ignored ignore ignoring forgotten Missed Miss Missing unnoticed disregarded disregard disregarding) WITH (predictive predict predicting prediction estimate estimated estimating approximate approximated approximating))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:56
S103	16	S94 AND ((irrelevant irrelevancy inconsequential bearing inapplicable) WITH (predictive predict predicting prediction estimate estimated estimating approximate approximated approximating))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:56
S102	3	S94 AND ((irrelevant irrelevancy inconsequential bearing inapplicable) WITH (coefficient term factor value variable variation))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:53
S101	27	S94 AND ((overlooked overlook overlooking over $1looked over$1look over $1looking ignored ignore ignoring forgotten Missed Miss Missing unnoticed disregarded disregard disregarding) WITH (coefficient term factor value variable variation))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:43

S100	39	S94 AND ((Combinatorial combine combined combination combinative Combinatorics Combinatorics Combinatoriality combinatorially combinatoriality concatenate concatenated concatenating concatenation connection connecting connect connected link linked linking linkage bond bonded bonding fusion fusing fused Glue Glueing Glued join joined joining junction mix mixed mixing mixture composite compositeness compositely) WITH (coefficient term factor value variable variation)) AND (predictive predict predicting prediction estimate estimated estimating approximate approximated approximating)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:18
S99	34	S94 AND ((Combinatorial combine combined combination combinative Combinatorics Combinatorics Combinatoriality combinatorially combinatoriality concatenate concatenated concatenating concatenation connection connecting connect connected link linked linking linkage bond bonded bonding fusion fusing fused Glue Glueing Glued join joined joining junction mix mixed mixing mixture composite compositeness compositely) WITH (predictive predict predicting prediction estimate estimated estimating approximate approximated approximating))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:14
S98	33	S94 AND (historical historically history chronological chronologically timeline) AND cross	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 17:08

S97	18	S94 AND (historical historically history chronological chronologically timeline) AND (predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) AND (((cross vector) ADJ2 product) cross$1product vector$1product)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 16:59
S96	47	S94 AND (historical historically history chronological chronologically timeline) AND (update updated updateable updatable updating alteration alter altered altering change changed changeable changing revise revised reviseable revisable revising)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 13:50
S95	50	S94 AND (historical historically history chronological chronologically timeline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/05 13:36
S94	71	(US-20030018601-$ or US-20020052836-$ or US-20030004777-$ or US-20050234698-$ or US-20050234697-$ or US-20050234763-$ or US-20050234762-$ or US-20050234761-$ or US-20050234760-$ or US-20050234753-$ or US-20050089768-$ or US-20020127529-$ or US-20040111214-$ or US-20050004786-$ or US-20060161403-$ or US-20040030667-$ or US-20030088565-$ or US-20030154442-$ or US-20100010878-$ or US-20050234688-$ or US-20030212678-$ or US-20030171829-$ or US-20010054032-$).did. or (US-6782390-$ or US-6631360-$ or US-6542894-$ or US-6640215-$ or US-6317752-$ or US-6269325-$ or US-6185543-$ or US-6859529-$ or US-6956941-$ or US-5583763-$ or US-5592560-$ or US-5621812-$ or US-7047251-$ or US-	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/05 13:36

		7043461-$ or US-6954758-$ or US-6879971-$ or US-6430539-$ or US-6381504-$ or US-5491629-$ or US-6839682-$ or US-6321205-$ or US-6556977-$ or US-6807535-$ or US-5701400-$ or US-6567812-$ or US-6687696-$).did. or (US-7499897-$ or US-6026397-$ or US-6684208-$ or US-6836773-$ or US-7349827-$ or US-6868525-$ or US-5980096-$ or US-7562058-$ or US-7725300-$ or US-7730003-$ or US-6952688-$ or US-6820070-$).did. or (WO-9922328-$ or WO-2005106656-$).did. or (US-5826250-$ or US-5692107-$ or US-20050096950-$ or WO-9922328-$ or WO-2003005232-$ or US-20050234763-$ or US-20050234698-$ or US-20050234697-$ or US-20050234760-$).did.				
S93	53	S78 AND (average averaged averaging median norm mean modal (central ADJ tendency) (most ADJ common) decile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 15:21
S92	0	(10/272504).APP.	USPAT; USOCR	OR	ON	2010/10/04 15:17
S91	19	S90 not S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 14:44
S90	23	S78 AND ((composite compositeness compositely mixture hybrid ensemble) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 14:44
S89	0	S78 AND ((blend blended blending crossbreed cross $1breed crossbred cross $1bred crossbreeding cross $1breeding) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 14:07

S88	42	S78 AND ((Combinatorial combine combined combination combinative Combinatorics Combinatorics Combinatoriality combinatorially combinatoriality concatenate concatenated concatenating concatenation connection connecting connect connected link linked linking linkage bond bonded bonding fusion fusing fused Glue Glueing Glued join joined joining junction mix mixed mixing mixture composite composteness compositely) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 14:04
S87	4	S78 AND ((composite composteness compositely) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:59
S85	5	S78 AND ((mix mixed mixing mixture) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:57
S84	1	S78 AND ((bond bonded bonding fusion fusing fused Glue Glueing Glued) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:54
S83	5	S78 AND ((join joined joining junction) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:54
S80	28	S78 AND ((connection connecting connect connected link linked linking linkage) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:43

S79	34	S78 AND ((Combinatorial combine combined combination combinative Combinatorics Combinatorics Combinatoriality combinatorially combinatoriality concatenate concatenated concatenating concatenation) WITH (model modeler modeller modeled modelled modeling modelling))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/04 13:28
S78	71	(US-20030018601-$ or US-20020052836-$ or US-20030004777-$ or US-20050234698-$ or US-20050234697-$ or US-20050234763-$ or US-20050234762-$ or US-20050234761-$ or US-20050234760-$ or US-20050234753-$ or US-20050089768-$ or US-20020127529-$ or US-20040111214-$ or US-20050004786-$ or US-20060161403-$ or US-20040030667-$ or US-20030088565-$ or US-20030154442-$ or US-20100010878-$ or US-20050234688-$ or US-20030212678-$ or US-20030171829-$ or US-20010054032-$).did. or (US-6782390-$ or US-6631360-$ or US-6542894-$ or US-6640215-$ or US-6317752-$ or US-6269325-$ or US-6185543-$ or US-6859529-$ or US-6956941-$ or US-5583763-$ or US-5592560-$ or US-5621812-$ or US-7047251-$ or US-7043461-$ or US-6954758-$ or US-6879971-$ or US-6430539-$ or US-6381504-$ or US-5491629-$ or US-6839682-$ or US-6321205-$ or US-6556977-$ or US-6807535-$ or US-5701400-$ or US-6567812-$ or US-6687696-$).did. or (US-7499897-$ or US-6026397-$ or US-6684208-$ or US-6836773-$ or US-7349827-$ or US-6868525-$ or US-5980096-$ or US-7562058-$ or US-7725300-$ or US-7730003-$ or US-6952688-$ or US-6820070-$).did. or (WO-9922328-$ or WO-	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/10/04 13:28

		2005106656-$).did. or (US-5826250-$ or US-5692107-$ or US-20050096950-$ or WO-9922328-$ or WO-2003005232-$ or US-20050234763-$ or US-20050234698-$ or US-20050234697-$ or US-20050234760-$).did.				
S77	2	("6952688").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/01 13:44
S76	12	S75 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:36
S75	13	S73 AND ((automatic automatically automation automated automating) WITH (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) WITH (modeler modeller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:36
S74	44	S73 AND ((automatic automatically automation automated automating) WITH (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) WITH (compile compiled compiling compilation generate generated generating generation link linked linking linkage) WITH model$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:35
S73	7074	S72 AND (historical historically history chronological chronologically timeline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:35

S72	20842	((predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) WITH model$4) AND (concordance (sensitivity WITH specificity) (area WITH under WITH (ROC receiver$1operator $1characteristic validation validity)) integral)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:34
S71	1	(predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) AND (modeler modeller) AND (concordance (sensitivity WITH specificity) (area WITH under WITH (ROC receiver$1operator $1characteristic validation validity)) integral) AND (lift adj (chart curve))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:32
S70	1	S62 AND (modeler modeller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:26
S69	18	S68 not S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:07
S68	35	S62 AND (automatic automatically automation automated automating) AND (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) AND (compile compiled compiling compilation generate generated generating generation link linked linking linkage) AND model$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:07
S67	0	S66 not S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:06

S66	13	S62 AND ((automatic automatically automation automated automating) SAME (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) SAME (compile compiled compiling compilation generate generated generating generation link linked linking linkage) SAME model$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:06
S65	0	S64 not S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:05
S64	17	S63 AND (automatic automatically automation automated automating) AND (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) AND (compile compiled compiling compilation generate generated generating generation link linked linking linkage) AND model$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:05
S63	21	S62 AND (historical historically history chronological chronologically timeline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:05
S62	69	(predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) AND model $4 AND (concordance (sensitivity WITH specificity) (area WITH under WITH (ROC receiver $1operator$1characteristic validation validity)) integral) AND (lift adj (chart curve))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:04
S61	4	S60 not S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:04

S60	17	S56 AND (automatic automatically automation automated automating) AND (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) AND (compile compiled compiling compilation generate generated generating generation link linked linking linkage) AND model$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 22:03
S59	3	S58 NOT S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:57
S58	16	S53 AND (automatic automatically automation automated automating) AND (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) AND (compile compiled compiling compilation generate generated generating generation link linked linking linkage) AND model$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:57
S57	13	S56 AND ((automatic automatically automation automated automating) SAME (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) SAME (compile compiled compiling compilation generate generated generating generation link linked linking linkage) SAME model$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:57
S56	18	S55 AND (historical historically history chronological chronologically timeline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:56

S55	57	((predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) SAME model$4) AND (concordance (sensitivity WITH specificity) (area WITH under WITH (ROC receiver$1operator $1characteristic validation validity) integral) AND (lift adj (chart curve))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:56
S54	13	S53 AND ((automatic automatically automation automated automating) SAME (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) SAME (compile compiled compiling compilation generate generated generating generation link linked linking linkage) SAME model$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:55
S53	16	S52 AND (historical historically history chronological chronologically timeline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:55
S52	49	((predictive predict predicting prediction estimate estimated estimating approximate approximated approximating) WITH model$4) AND (concordance (sensitivity WITH specificity) (area WITH under WITH (ROC receiver$1operator $1characteristic validation validity)) integral) AND (lift adj (chart curve))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/30 21:54

S51	20	S45 AND ((automatic automatically automation automated automating) SAME (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) SAME (compile compiled compiling compilation generate generated generating generation link linked linking linkage) SAME model$4)	US-PGPUB; USPAT; USOCR FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/28 17:35
S50	2	S48 AND ((automatic automatically automation automated automating) SAME (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) SAME (compile compiled compiling compilation generate generated generating generation link linked linking linkage) SAME model$4)	US-PGPUB; USPAT; USOCR FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/28 17:35
S49	0	S48 AND ((automatic automatically automation automated automating) WITH (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) WITH (compile compiled compiling compilation generate generated generating generation link linked linking linkage) WITH model$4)	US-PGPUB; USPAT; USOCR FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/28 17:34
S48	15	("20020080169" | "20030171829" | "5516309" | "6356897" | "6629095" | "6677963" | "6768982" | "6813615" | "6912533" | "6920458" | "6941287" | "6954758" | "7096206" | "7152092" | "7280991").PN. OR ("7756804").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/09/28 17:34

S46	14	S45 AND ((automatic automatically automation automated automating) WITH (select selected selecting selector identify identified identifying choice choose choosing chosen pick picking picked extract extracted extracting match matched matching) WITH (compile compiled compiling compilation generate generated generating generation link linked linking linkage) WITH model!$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/28 17:27
S45	67	(US-20030018601-$ or US-20020052836-$ or US-20030004777-$ or US-20050234698-$ or US-20050234697-$ or US-20050234763-$ or US-20050234762-$ or US-20050234761-$ or US-20050234760-$ or US-20050234753-$ or US-20050089768-$ or US-20020127529-$ or US-20040111214-$ or US-20050004786-$ or US-20060161403-$ or US-20040030667-$ or US-20030088565-$ or US-20030154442-$ or US-20100010878-$ or US-20050234688-$ or US-20030212678-$).did. or (US-6782390-$ or US-6631360-$ or US-6542894-$ or US-6640215-$ or US-6317752-$ or US-6269325-$ or US-6185543-$ or US-6859529-$ or US-6956941-$ or US-5583763-$ or US-5592560-$ or US-5621812-$ or US-7047251-$ or US-7043461-$ or US-6954758-$ or US-6879971-$ or US-6430539-$ or US-6381504-$ or US-5491629-$ or US-6839682-$ or US-6321205-$ or US-6556977-$ or US-6807535-$ or US-5701400-$ or US-6567812-$ or US-6687696-$).did. or (US-7499897-$ or US-6026397-$ or US-6684208-$ or US-6836773-$ or US-7349827-$ or US-6868525-$ or US-5980096-$ or US-7562058-$ or US-7725300-$ or US-7730003-$).did. or (WO-9922328-$ or WO-2005106656-$).did. or (US-	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/09/28 17:27

		5826250-$ or US-5692107-$ or US-20050096950-$ or WO-9922328-$ or WO-2003005232-$ or US-20050234763-$ or US-20050234698-$ or US-20050234697-$ or US-20050234760-$).did.				
S44	8	(("7562058") or ("7730003") or ("7499897") or ("7725300")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/28 16:58

EAST Search History (Interference)

< This search history is empty>

10/6/2010 2:11:02 PM
C:\ Documents and Settings\ Jochoa\ My Documents\ EAST\ Workspaces\ 10826630.wsp